



TOWNSHIP OF EDWARDSBURGH CARDINAL ACTION ITEM

Committee: Public Works, Environmental Services & Facilities

Date: May 17, 2021

Department: Environmental Services

Topic: 2021 Spencerville Lagoon Discharge Report

Purpose: To receive and review the 2021 Spencerville Lagoon Discharge Report and seek direction to submit the report to MECP prior to the June 30th due date.

Background: The effluent of the Lagoons was discharged into the South Nation River over a 12-day period spanning from April 5th to April 16, 2021. The annual discharge window is between March 15 and April 21. The combined effluent volume of both cells was approximately 68502 cubic meters or 59% of the 116,000 cubic meter capacity.

The report is attached for receipt and review.

Policy Implications: Condition 6 of Environmental Compliance Approval (formerly Certificate of Approval) # 3-1377-87-896, requires the operating authority to report the results of the monitoring program described in Condition No. 5 and compliance with Condition # 2, including dates of discharge, to the District Officer for the Kingston District of the MECP by June 30th of each year.

Financial Considerations: Nil

Recommendation: That Committee recommends that Council receive and review the 2021 Spencerville Lagoon Discharge Report and direct staff to submit the report to MECP prior to the June 30th due date.

A handwritten signature in blue ink, appearing to read 'Gordon E. Smith'.

Director of Operations

A handwritten signature in blue ink, appearing to read 'D. Scott'.

CAO