

**C.O.C.: G27273**

**REPORT No. B22-15308**

**Report To:**

**Township of Edwardsburgh/Cardinal**

PO Box 129, 18 Centre Street,  
Spencerville ON K0E 1X0 Canada

**Attention:** Eric Wemerman

**Caduceon Environmental Laboratories**

2378 Holly Lane  
Ottawa Ontario K1V 7P1  
Tel: 613-526-0123  
Fax: 613-526-1244

DATE RECEIVED: 24-May-22

JOB/PROJECT NO.: 120002157-Lagoons-BYPASS

DATE REPORTED: 30-May-22

P.O. NUMBER: BYPASS-SC-22-01

SAMPLE MATRIX: Waste Water

WATERWORKS NO.

			Client I.D.		South Cell BYPASS	Upstream, South Nation River	Downstream, South Nation River	
			Sample I.D.		B22-15308-1	B22-15308-2	B22-15308-3	
			Date Collected		24-May-22	24-May-22	24-May-22	
Parameter	Units	R.L.	Reference Method	Date/Site Analyzed				
BOD(5 day)	mg/L	3	SM 5210B	25-May-22/K	< 3	< 3	< 3	
CBOD5	mg/L	3	SM 5210B	25-May-22/K	< 3			
Total Suspended Solids	mg/L	3	SM2540D	25-May-22/K	7	4	5	
Ammonia (N)-Total	mg/L	0.01	SM4500- NH3-H	26-May-22/K	3.94	0.06	0.07	
Phosphorus-Total	mg/L	0.01	E3516.2	25-May-22/K	0.13	0.05	0.06	

R.L. = Reporting Limit

Test methods may be modified from specified reference method unless indicated by an \*

Site Analyzed=K-Kingston,W-Windsor,O-Ottawa,R-Richmond Hill,B-Barrie



Greg Clarkin , BSc., C. Chem  
Lab Manager - Ottawa District

The analytical results reported herein refer to the samples as received. Reproduction of this analytical report in full or in part is prohibited without prior consent from